



# Working with Raw Disk Drives in Kubernetes — YDB's Experience

在Kubernetes中使用原始磁盘驱动器——YDB的经验

**Ivan Blinkov**

VP, Product and Open-Source

# Ivan Blinkov

- Over a decade of experience in the database management systems (DBMS) development industry
- Talked with countless DBMS users and stakeholders to understand how and why they ended up with a specific solution
- Worked on a handful of DBMS products, including two open-source ones:



# Agenda

1

What's YDB and why it works with raw disk drives directly via block devices?

2

Nuances of working with raw disk drives in Kubernetes

3

Lessons learned along the way

**Why YDB works with raw  
disk drives directly?  
(without any filesystem)**

# YDB: Open-Source Distributed SQL Database

## Mission critical

- Designed for services with 24x7 uptime requirements
- Serializable consistency
- Adapts to workloads
- Security features

## Highly available

- Survives AZ plus rack failure without human intervention
- Seamless upgrades
- Self-healing
- Smart SDKs

## Data platform

- Row-oriented tables (OLTP)
- Column-oriented tables (OLAP)
- Topics (persistent queues)
- Federated queries
- Multitenancy

# Typical YDB use cases



- Finance
- E-commerce
- Ride-hailing
- Advertisement
- Telecom
- Logistics
- AI services
- Infrastructure

# Summary of YDB history

**2014** Started as an in-house infrastructure technology

---

**2020** Provided as a managed cloud service

---

**2021** [Kubernetes compatibility prototype](#)


---

**2022** Published to open-source under Apache 2.0 license

---

**2023** [First production clusters running in Kubernetes](#)

# YDB high-level architecture





# What impacts distributed database performance?

## Latency

- Network hops required for distributed transactions
- Caching
- Slow disk drives
- Retries

## Throughput

- Hardware capacity
- Efficient algorithms
- Transaction contention
- No unnecessary overhead



Typical performance goal: maximize throughput while maintaining reasonable latencies

# What a virtual filesystem provides?

- Generic **abstractions**: files, folders, permissions, etc.
- Generic operations with these abstractions
- Mounting multiple devices into a single namespace
- Hiding device implementation details
- **I/O scheduler and page caching**
- Sometimes encryption and compression

# How to live without a filesystem?

- Design data layout that makes sense for the workload
- Consider physical device properties
- Don't trust someone else to manage caches:
  - Open block device files with `O_SYNC | O_DIRECT`
  - Disable device write cache
- Application-level I/O scheduler
- Checksum everything



# **Nuances of working with raw disk drives in Kubernetes**

The background features a light blue gradient. On the right side, there are several overlapping, semi-transparent spheres in shades of purple, blue, and yellow. These spheres are interconnected by thin, white, cylindrical lines, creating a network-like or molecular structure.

# Naïve approach: mount block devices to containers

- Simple, straightforward, and built-in
- Containers need **superuser privileges** to work with the block device
- Breaks the least necessary privileges principle
- Not suitable for production environments

```
spec:
  containers:
    securityContext:
      privileged: true
    ...
  volumes:
  - name: device-dir
    hostPath:
      path: /dev
```

# PersistentVolume with volumeMode: Block

- Great option for new clusters with dynamic volume provisioning
- Not so much for self-managed Kubernetes cluster on bare-metal spanning several generations of legacy hardware
- StatefulSet supports only one set of PersistentVolume's


```
spec:  
  dataStore:  
    - accessModes:  
      - ReadWriteOnce  
  resources:  
    requests:  
      storage: 256Gi  
  volumeMode: Block
```

# Kubelet device plugin

- An API for advertising system hardware resources
- Initially designed for GPUs, FPGAs, etc.
- Can be used for disk drives too


```
resources:  
  limits:  
    ydb-disk-manager/hostdev: "1"  
  requests:  
    ydb-disk-manager/hostdev: "1"
```

# Kubelet device plugin






# Kubelet device plugin



# Kubelet device plugin



# Local Persistence Volume Static Provisioner

- Specifically intended for managing disk volumes, including the block device mode
- Maintained by the SIG Storage of Kubernetes
- Not so actively developed recently











# Dynamic Resource Allocation

- Generalized ResourceClaim concept
- Somewhat similar to the “Kubelet device plugin” option
- Thoroughly designed and flexible
- Currently in alpha









**Looking forward for production-readiness!**



# Disk drive type trade-offs

	Performance	Portability	Reliability
Local physical device		—	—
RAID		—	
Network block device			
Non-replicated network block device			—

# Disk drive type trade-offs

	Performance	Portability	Reliability
<b>Local physical device</b>		—	—
RAID		—	
Network block device			
<b>Non-replicated network block device</b>			—

# Lessons learned

1. Kubernetes provides tools even for uncommon requirements like persisting data without a filesystem
2. Taking advantage of Kubernetes flexibility is possible even without major architectural changes
3. Where the Kubernetes cluster runs matters

# YDB is 100% open-source

Permissive Apache 2.0 License for:

- Core platform is built from scratch in C++
- Kubernetes operator in Go
- SDKs in Java, Python, Go, Rust, Node.js, PHP, etc.
- Documentation in Markdown



**Contributors are welcome!**

[https://github.com/  
ydb-platform/ydb](https://github.com/ydb-platform/ydb)





# Thank you!



<https://ydb.tech>

YDB highlights:

- Strong consistency
- Resilience and self-healing
- Elastic scalability
- Various workloads
- PostgreSQL and Kafka compatibility
- 100% open-source under Apache 2.0